PTO/SB/08A (10-01)

Approved for use through 10/31/2002 OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperviorit Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Sheet

Substitute for form 1449APTO

1

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

of

8

| | Application Number | 10/077,784 |
|---|------------------------|-------------------|
| | Filing Date | February 20, 2002 |
| : | First Named Inventor | T rry L. Gilton |
| | Ari Unit | 2818 |
| | Buiminer Name | Not Yet Assigned |
| | Altorney Docket Number | M4065.0482/P482 |

Complete if Known

| | | | | TENT DOCUMENTS | |
|----------|------|-----------------------------|------------------|--|--|
| Examiner | Cite | Document Number | Publication Date | Name of Patentes or Applicant | Pages, Columns, Lines, Where Relevant |
| nitals* | No. | Number-Kind Code* (# Imoun) | MH-DD-YYYY | of Cited Document | Passages or Relevant Figures Appear |
| | | 5,761,115 | 06/02/1998 | Kozicki et al. | |
| | | 6,084,796 | | | |
| | AC: | 5,914,893 | 06/22/1999 | Kozicki et al. | |
| | AD | 5,896,312 | 04/20/1999 | Kozicki et al. | |
| | AE: | 6,388,324 | 05/14/2002 | Kozicki et al. | |
| | AF : | US 2002/0000666 | 01/03/2002 | Kozicki et al. | |
| | AG | 5,500,532 | 03/19/1996 | Kozicki et al. | |
| ×. | AH: | 6,418,049 | 07/09/2002/ | Kozicki et al. | |
| | | 5,751,012 | 05/12/1998 | Wolstenholme et al. | |
| | | | | Zahorik et al. | |
| | | | 02/19/2202 | Moore et al. | |
| | AL | F. 1948 | Same to | the state of the s | |
| | AM | | | ~ | |
| | AN | | | | |
| | AO | | | | |

| | | FORE | GN PATENT | DOCUMENTS | | |
|-----------------------|-----|--|------------------|---------------------|--|---|
| | | Foreign Patent Document | Publication Date | Name of Patentee or | Pages, Columns, Lines, Where Relevant | |
| Examiner Initials* | No. | Country Code" -Number + Grid Code" (# Intoinn) | MM-DD-YYYY | | Passages or Relevant Figures Appear | T |
| | BA | WO 02/21542 | 03/14/2002 | Kozicki et al. | | |
| | | | 08/17/2000 | Kozicki et al. | | |
| | | WO 97/48032 | 12/18/1997 | Kozicki et al. | | |
| , | BD | WO 99/28914 | 06/10/1999 | Kozicki et al. | | |

| Examiner | Date | |
|-----------|-----------------|--|
| | Considered | |
| Signature | CONSISTENCE | |

[&]quot;EXAMINER: initial if reference considered, whether or not clastion is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² See attached kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³
Enter Office that lessed the document, by the two-letter code (MIPO Standard ST.3): ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the application number of the patent document. ⁴ Kind of document by the appropriate symbols as indicated on the document under WiPO Standard ST, 16 if possible. ⁵ Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/088 (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Peperwork Reduction Act of 1995, no persons are required to res

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary) -

| 1 | | | | _ |
|---|-------|---|--|---|
| - | Sheet | 2 | of | 8 |
| ı | | | and the second second second second second | |

| - | | Complete if Kn wn | |
|---|------------------------|-------------------|--|
| | 1 00 | | |
| | Application Number | 10/077,784 | |
| • | Filing Date | February 20, 2002 | |
| | First Named Inventor | Terry L. Gilton | |
| | Group Art Unit | 2818 | |
| | Examiner Name | Not Yet Assigned | |
| | Attorney Docket Number | M4065.0482/P482 | |

| Examiner | Cita | include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of the | Г |
|----------|-------------|--|----|
| nitials | Cite No. | item (book; magazina; journal; sentat symposium, catalog, etc); date, page(s), volume-tasue number(s), | ₽ª |
| | CA | Abdel-All, A.; Elshaffe, A.; Elhawary, M.M.; DC electric-field effect in bulk and thin-film Ge5As38Te57; chalcogenide glass; Vacuum 59 (2000) 845-853. | T |
| | СВ | Adler D.: Moss S.C.: Amorphous memories and bistable switches, J. Vac. Sci. Technol. 9 (1972) 1182-1189 | Γ |
| | CC | Adler; D.; Henisch; H.K.; Mott; S.N., The mechanism of threshold switching in amorphous alloys; Rev Mod Phys 50 (1978) 209-220. | Γ |
| | CD | Affil: M.A.; Labib; H.H.; El-Fazary; M.H.; Fadel, M., Electrical and thermal properties of chalcogenide glass system S675G625-KSbx; Appl. Phys. A 55 (1992) 167-169. | |
| | CE | Affil;M.A.: Labib; H.H.: Fouad S.S.: El-Shazly; A.A.; Electrical & thermal conductivity of the amorphous semiconductor GexSe1-x; Egypt, J. Phys. 17 (1986) 335-342. | |
| | CF | Alekperova; Sh.M.; Gadzhieva, G.S.; Current Voltage characteristics of Ag2Se single crystal near the phase transition, inorganic Materials 23 (1987) 137-139. | |
| V V | CG | Aleksiejunas, A.; Cesnys, A.; Switching phenomenon and memory effect in thin-film heterojunction of polycrystalline selenium-silver selenide, Phys. Stat. Sol. (a) 19 (1973) K169-K171. | |
| ý. | СН | Angelia C.A. Mobile lons in amorphous solids Annua Rev. Phys. Chem. 43 (1992) 693-717. | Г |
| | CI | Aniya, M., Average electronegativity, medium-range-order, and ionic conductivity in superionic glasses, Solid state ionics (138-137 (2000) 1085-1089. | |
| | ငပ | Asahara; Y.; Izumitani, T.; Voltage controlled switching in Cu-As-Se compositions, J. Non-Cryst Solids 11 (1972) 97-104. | |
| | CK | Asokan S.; Prasad, M.V.N.; Parthasarathy, G.; Gopal, E.S.R., Mechanical and chemical thresholds in W.V. chalcogenide glasses, Phys. Rev. Lett. 62 (1989) 808-810 | |
| | CL | Baranovskii S.D.; Cordes; H.; On the conduction mechanism in lonic glasses, J. Chem. Phys. 111 (1999) 7546-7557. | |
| | СМ | Belin R. Talliades G. Pradel, A. Ribes M. Ion dynamics in superionic chalcogenide glasses complete conductivity spectra. Solid state lonics 136-137 (2000) 1025-1029. | L |
| | CN | Belin; R.; Zerouale; A.; Pradel, A.; Ribes; M., Ion dynamics in the argyrodite compound Ag7GeSe51: non-Armenius behavior and complete conductivity spectra, Solid State Ionics 143 (2001) 445-455. | |
| | co | Benmore, C.J.; Salmon, P.S., Structure of fast ion conducting and semiconducting glassy chalcogenide alloys, Phys. Rev. Lett. 73 (1994) 264-267. | Ι |
| | CP | Bernede J.C. Influence du metal des electrodes sur les caracteristiques courant-tension des structures M-Ag2Se-M, Thin solid films 70 (1980) L1-L4. | Γ |
| | co | Bernede, J.C., Polarized memory switching in MIS thin films, Thin Solid Films 81 (1981) 155-160. | |
| | CR | Bernede, J.C., Switching and silver movements in Ag2Se thin films, Phys. Stat. Sol. (a) 57 (1980) K101-K104. | L |
| | cs | Bernede; J.C.; Abachi, T.: Differential negative resistance in metal/insulator/metal structures with an upper bilayer electrode, Thin solid films 131 (1985) L61-L64. | L |
| | СТ | Bernede: U.C.; Conan; A.; Fousenan't, E.; El Bouchairi, B.; Goureaux, G., Polarized memory switching effects in Ag2Se/Se/M thin film sandwiches, Thin solid films 97 (1982) 165-171. | L |
| | CU | Bernede, J.C.; Khelil, A.; Kettaf, M.; Conan, A., Transition from S- to N-type differential negative resistance in Al-Al2O3-Ag2-xSe1+x thin film structures, Phys. Stat. Sol. (a) 74 (1982) 217:224. | |
| • | CV | Bondarev, V.N.; Pikhitsa, P.V., A dendrite model of current instability in RbAg4l5, Solid State lonics 70/71, (1994) 72-76. | Γ |

PTO/SB/088 (10-01)
Approved for use through 10/31/2002 OMB 0651-0031
U.S. Patentl'and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to asspond to a collection of information unless it contains a valid CMB control number.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Complete II Known 10/077,784 Application Number Filing Date F bruary 20, 2002 First Named Inventor Terry L. Gilton Group Art Unit 2818 4 Examiner Name Not Yet Assigned Attorney Docket Number M4065:0482/P482

| | Glasses Asian dournal of Physics (2000) 9 709-72. |
|-----|--|
| CX | Nature 410 (2001) 1070-1073 |
| | Boolchand; R: Georgiev \ D: G.; Goodman; B.; Discovery of the Intermediate Phase in Chalcogenide Glasses; J. Optoelectronics and Advanced Materials; 3 (2001), 703 |
| CZ | steps inichaicogenide glasses Properties and Applications of Amorphous Materials, M.F. Thorpe and Tichy (E) (eds.) Kluwer Academic Publishers, the Netherlands, 2001, pp. 97-132. |
| CA1 | Boolchand P: Enzweller: R:N: Tenhover, M: Structural ordering of evaporated amorphous chalcogenide alloy films: frole of thermal annealing. Diffusion and Defect Data Vol. 53-54 (1987) (1987) (1987) |
| CB1 | |
| CC1 | Bookchand 12: Grothaus U: Phillips: UC: Broken chemical order and phase separation in Gex Self-xiglasses Solidistate comm. 45 (1983), 183-185: |
| CD1 | Boolchand P. Bresser W. Compositional trends In glass transition temperature (Tg), network connectivity and nanoscale chemical phase separation in chalcogenides, Dept. of ECECS Unity Cincinnati (October 28, 1999) 45221-0030. |
| CE1 | Boolchand, P., Grothaus, J. Molecular, Structure of Melt-Quenched GeSe2 and GeS2 glasses compared, Proceeding Conf. Privs. Semicond. (Eds. Chadl, and Hamson). 17th (1985) 833-36. |
| CF1 | network(glasses/Phys/Rev/(Lett. 56)(1986) 2493-2496. |
| CG1 | Bresser, Wall Bookhand, P., Suranyl, P., de Neufville, J.P., Intrinsically broken chalcogen chemical order in solichiometric glasses, Journal de Physique 42 (1981) C4-193-C4-196. |
| CH1 | cluster size in GeSe2 glass; Hyperfine interactions 27 (1986) 389-392. |
| CI1 | Cahen, D.; Gilet, J.; M.; Schmitz, C.; Chernyak, L.; Gartsman, K.; Jakubowicz, A., Room- Temperature, electric field induced creation of stable devices in CulnSe2 Crystals, Science 258 (1992) 271-274 |
| ငျ | memory/switching/in/bulk/As-Te-Se glasses, U. Phys. D. Appl. Phys. 27 (1994) 2624-2627. |
| CK1 | Chen, C:H: Tal: K:L: Whisker growth induced by Ag photodoping in glassy GexSe1-x films, Appl. Phys. Lett. 87/(1980) 1075-1077. |
| CL1 | chalcogenide/glasses/J*Am*(Ceram*Soc: 82 (1999) 2934-2936. |
| CM1 | Je Non-Cryata Solida 2207(1997))249 253; |
| CN1 | device #JIINon-Cryst4 Solids (8-10) (1972) 885-891 |
| CO1 | conduction in some amorphous semiconductors; J. Non-Cryst. Solids 8-10 (1972) 781-786. |
| CP1 | Appi (Phys. 38)(1967))753-756 |
| | Davis E:AMSemiconductors without form; Search 1: (1970) 152-155. |
| | Deamaley G. Stoneham A.M. Morgan, D.V., Electrical phenomena in amorphous oxide films Rep 3 Prog 1 Phys 33 (1970) 1129-1191. |
| CS1 | Se; J-Non-Cryst (Solids;143 (1992) 162-180. |
| CT1 | den Boer W.: Threshold switching in hydrogenated amorphous silicon, Appl. Phys. Lett. 40 (1982) 812-813. |

PTC/SB/038 (10-01)
Approved for use through 10/31/2002.CM8 0651-0031
U. S. Patent and Tredemark Office: U.S. DEPARTMENT OF COMMERCE and to a collection of information unless it contains a valid OMB control number.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Application Number 10/077,784 Filling Date February 20, 2002 First Named Inventor T my L. Gilton Group Art Unit 2818 Not Yet Assigned Exeminer Name

Complete If Known

(use as many sheets as necessary) . M

Substitute for form 1449B/PTO

| Sheet | | 4 | of | | Attorney Docket Number | M4065.0482/P482 | |
|-------|-----|------------------------|-------------------------------|---|---|---|---|
| | Ý | Cryst. S | olids:198-20 | 00 (1996) 829-832 | | ectronic properties, J. Non- | T |
| | CV1 | Films | 10 (1983) 10 | 07-113. | | 2-xSe1+x/n-SI diodes, Thin Solid | |
| - | CW1 | x photo | conductivity, | J. Non-Cryst. Sol | lids 155 (1993) 171-179. | defects in amorphous GexSe1 | |
| | CX1 | chalcog | enide thin fil | ma Thin Solid File | ms 218 (1992)259-273. | todissolution in amorphous | Τ |
| | CY1 | from "in | -situ" resista | ince measuremen | its vs time, Phys. Stat. Sc | n amorphous GeSe5.5 thin films ol. (a) 123 (1991) 451-460. | |
| | CZ1 | Phys:70 | DA (1996) 50 | 07-516. | 14 | s Ge21Se17Te62, Indian J. | T |
| • | CA2 | Elliott, S material | .R., A unifie s, J. Non-Ci | ed mechanism for ryst: Solids 130 (1 | metal photodissolution in 991) 85-97. | amorphous chalcogenide | T |
| | CB2 | Elliott, S Non-Cry | R., Photod st. Solids 1. | issolution of metal 37-138 (1991) 103 | ls in chalcogenide glasse 31-1034. | s: A unified mechanism, J. | |
| • | CC2 | Elsamar state of | noudy,(M.M. thin films co | ; Hegab, N.A.; Fa intaining Te As Ge | del, M., Conduction med SI, Vacuum 46 (1995) 7 | hanism in the pre-switching 701-707. | |
| | CD2 | El-Zahe | d, H.; El-Koi | rashy, A., Influenc | e of composition on the lims 376 (2000) 236-240. | electrical and optical properties | T |
| | CE2 | chalcog | enide glass, | Vacuum 44 (199: | | · | Τ |
| | CF2 | 43 (199 | 2) 253-257. | | | rties of Se75Ge7Sb18, Vacuum | 1 |
| | CG2 | glasses, | Phys. Rev. | Lett. 78 (1997) 44 | 422-4425. | ffness threshold in Chalcogenide | |
| | CH2 | on the e (1997) 1 | lastic, plasti 37-143. | c and thermal beh | izvior of covalent glasse | P., Role of network connectivity s, J. Non-Cryst. Solids 222 | |
| | CI2 | photodif | fused amon | phous Ag-GeSe2 | thin films, Phys. Rev. B 3 | A., Structure and bonding in 38 (1988) 12388-12403. | |
| | CJ2 | seleniun | n, Phys. Sta | it. Sol. (a) 64 (198 | 1) 311-316. | crystallization of amorphous | |
| | СК2 | Solids 6 | (1971) 49-7 | 71. | | semiconductors, J. Non-Cryst. | |
| | CL2 | Material | s Science 2 | (1972) 697-744. | | ictors, Annual Review of | |
| | CM2 | synthes | zed by tem; / ASAP. | plating against nar | nowires of trigonal Se, J. | nanowires of Ag2Se can be Am. Chem. Soc. (2001) | |
| | CN2 | on rever | sible phase 18. | transition phenon | nena in telluride glasses, | S., Nonvolatile memory based Jap. J. Appl. Phys. 28 (1989) | |
| • | CO2 | of Ge-S | e chalcogen | T.; Keryvin, V.; Saide glasses below 002) 260-269. | angleboeuf, JC.; Serre, rTg: elastic recovery an | I.; Lucas, J., Indentation creep d non-Newtonian flow, J. Non- | |
| | CP2 | Guin, J. | P.; Rouxel, bility of gen | T.; Sangleboeuf, | JC; Melscoet, I.; Lucas chalcogenide glasses, J | , J., Hardness, toughness, and . Am. Ceram. Soc. 85 (2002) | T |
| | CQ2 | Gupta, | | ctrical switching at 148-154. | nd memory effects in am | orphous chalcogenides, J. Non- | 1 |

PTC/S8/88 (10-01)
Approved for use through 10/31/2002 OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless a contains a veild CMB control number.

| E | JC 18 |
|-----|---------|
| M 1 | 1 000 E |
| | RADE |

| Substitute for form 14498/PTO | \$ 1 m | Complete If Known |
|-----------------------------------|------------------------|-------------------|
| | Application Number | 10/077,784 |
| | Filing Date: | February 20, 2002 |
| STATEMENT BY APPLICANT | First Named Inventor | Terry L. Gilton |
| | Group Art Unit | 2818 |
| (use as many sheets as necessary) | Examiner Name | Not Yet Assigned |
| Sheet 5. of 8. | Attorney Docket Number | M4065.0482/P482 |

| | Haberland, D.R., Stiegler, H., New experiments on the charge-controlled switching effect in amorphous semiconductors, U. Non-Cryst Solids 8:10 (1972) 408-414. |
|-------|---|
| CS2 | Halfz/M.M.; Ibrahim, M.M.; DongolyM.; Hammad, F.H.; Effect of composition on the structure and electrical properties of As-Se-Cu glasses; J. Apply, Phys. 54 (1983) 1950-1954. |
| | Hajto U. Rose M.J. Osborne II.S. Snell, A.J., Le Comber, P.G.; Owen, A.E., Quantization effects in metal/devices line. J. Electronics 73 (1992) 911-913. |
| CU2 s | Halto J.: Hurt.: (Snell-A.J.: Turvey: K.: Rose M.: DC and AC measurements on metal/a- Si: (Junetal) room temperature (quantised resistance devices, J. Non-Cryst. Solids 266-269 (2000) (1058-1061: |
| CV2 | Hajtord :: McAuley B.; Snell A.J.; Owen: A.E.; Theory of room temperature quantized resistance effects in metal a Si: H-metal thin film structures, J. Non-Cryst. Solids 198-200 (1988) 825-828; |
| CW2 | Hajtord: OwenvA Es; Snell: A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-amorphous silicon structures, Phil. Mag. B 63 (1991) 349-369 |
| CX2 | Hayashi, T., Ono, Y., Fukaya, M., Kan, H., Polartzed memory switching in amorphous Se film Japan, U.Appis Phys. (3)(1974),1163-1164; |
| CAS | Hegab; N/A: Fadel; M.; Sedeek, K.; Memory switching phenomena in thin films of chalcogenide semiconductors. Vacuum 45 (1994) 459-462 |
| CZ2 | Hirose Y. Hirose H. Polarity-dependent memory switching and behavior of Ag dendrite in Ag-photodoped amorphous (AS2S3 films), J. Appl. Phys. 47 (1976) 2767-2772. |
| CA3 | |
| CB3 | Hosokawa S. Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition U.Optoelectronics and Advanced Materials 3 (2001) 199-214. |
| CC3 | Hu: J.; Snell; Ast.; Hajto; J.; Owen; A.E.; Constant current forming in Cr/p+a-/Si:H/V thin film devices; J. Non-Cryst; Solids:227-230 (1998) 1187-1191. |
| CD3 | Hugu: Hajto; U. Snell, A.J. Owen, A.E.; Rose, M.J.; Capacitance anomaly near the metal- non-metal transition in Cr-hydrogenated amorphous SI-V thin-film devices, Phil. Mag. B. 74 (1998) 37-50. |
| CE3 | Huggissnell, Adds Halto, J.; Owen, A.E.; Current-Induced Instability In Cr-p+a-Si:H-V thin film devices [Philimag Big0 (2000) 29-43. |
| CF3# | lizima, St; Sugl, M; (Kikuchi; M; Tanaka; K; Electrical and thermal properties of semiconducting glasses) As: Te-Ge, Solid State Comm: 8 (1970) 153-155. |
| | IshikawanR: Kkuchi M: Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst Solids 35 & 38 (1980) 1061-1068. |
| СНЗ | lyetomiaHis Vashishta P. Kalla: R.K. Incipient phase separation in Ag/Ge/Se glasses: clustering of Agratoms (J. Non-Cryst. Solids 262 (2000) 135-142. |
| CI3 | Jones G. Collins R.A. Switching properties of thin selenium films under pulsed blas, Thin Solid Films 40 (1977) 215-218. |
| CJ3 | Jouille-AM: Manucchi, J.; On the DC electrical conduction of amorphous As2Se7 before switching Phys. Stat. Sol. ((a):13 (1972) K105-K109. |
| СКЗ | Joullies A.M. Marucchis J. Electrical properties of the amorphous alloy As2Se5, Mat. Res. Bull 8 (1973) 433-442: |
| CL3 | Kaplan F. Adler D. Electrothermal switching in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 538-543. |
| СМЗ | Kawaguchil, Tr.; Maruno S.; Elliott, S.R.; Optical, electrical, and structural properties of amorphous Ag-Ge-S and Ag-Ge-Se films and comparison of photoinduced and thermally induced phenomena of both systems, U. Appl. Phys. 79 (1996) 9096-9104. |
| CN3 | Kawaguchi T.: Masul, K.: Analysis of change in optical transmission spectra resulting from A photodoping in chalcogenide film, Japn. J. Appl. Phys. 26 (1987) 15-21. |

PTO/SB/08B (10-01)
Approved for use through 10/31/2002 OMB 0651-0031
U. S. Patant and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995 no persons are required to respond to a collection of Information unless it contains a valid OMB control number.



| Substitute for form 14498/PTO | Complete Il Known | | | | |
|-----------------------------------|------------------------|-------------------|--|--|--|
| Same Same Same Articles | Application Number | 10/077,784 | | | |
| INFORMATION DISCLOSURE | Filing Date | F bruary 20, 2002 | | | |
| STATEMENT BY APPLICANT | First Named Inventor | Terry L. Gilton | | | |
| | Group Art Unit | 2818 | | | |
| (use as many sheets as necessary) | Examiner Name | Not Yet Assigned | | | |
| Sheet 6 | Attorney Docket Number | M4065.0482/P482 | | | |

| eet | 1 | Altomoy Docket Number M4065.0482/P482 |
|---------------------------------------|-------|--|
| | 7.7 | Kawasaki M.; Kawamura J.; Nakamura Y.; Anlya M.; Ionic conductivity of Agx(GeSe3)1-x (0<=x<=0.57,1) glasses (Solid state Ionics) (123 (1999) 259-269; |
| 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | CP3 | Ruger G Thomas (AS) Rabes R: Grotzschel R: Sliver photodiffusion in amorphous Gex So 100-2, Ultron C vat Solida (1990) 168-193 |
| | CQ3 | Kolobov //AV/#(On)the origin of p-type conductivity in amorphous chalcogenides, J. Non-Cryst. Solids (198-200)(1996)[728-731] |
| r ry | CR3 | Kolobov/AN/ Lateralidiffusion of silver in vitreous chalcogenide films, J. Non-Cryst. Solids 137:138 (1991) X1027:1030 |
| 1 22/17/ | CS3 | Korkinova, Tis:N:/Andreichin:RE-Chalcogenide:glass:polarization and the type of contacts, J. Non-Cryst Solids (194)(1996) 256-259 |
| | СТЗ | Kotkata M.F. Afri M.A., Labib; H.H.; Hegab, N.A.; Abdel-Aziz, M.M., Memory switching in amorphous GeSe II chalcogenide semiconductor films; Thin Solid Films; 240 (1994) 143-146. |
| la s | CU3 | Lakshminarayan, K:N. Srivastava, K:K., Panwar, O.S.: Dumar, A., Amorphous semiconductor devices: memory and switching mechanism, J. Instn Electronics & Telecom. Engrs 27 (1981) 16-19. |
| | CV3 | Lal, M.; Goyal, N.; Chemical bond approach to study the memory and threshold switching chalcogenide glasses find an tournal of pure & appl phys. 29 (1991) 303-304. |
| | CW3 | |
| | схз 🦠 | Leung) W:: Cheung N:: Neureuther A-R:: Photoinduced diffusion of Ag in GexSe1-x glass, Appl Phys Leu 46(1985) 543-545: |
| | CY3 | Matsushita; (15: Yamagamist :: Okuda; M.; Polarized memory effect observed on Se-SnO2 system; (2ap.): Appl; Phys; (11(1972)):1657; (662; |
| | CZ3 k | Matsushita T. Mamagami T. Okuda M. Polarized memory effect observed on amorphous selenium triin films (upn. U.Appi. Phys. 1 (1972) 606: |
| | CA4 | |
| · See | CB4 | Messoussis R. Bernede, J.C. Benhida S. Abachi, T. Latef, A., Electrical characterization of WSe structures (M. Ni Bi) Mat (Chem. And Phys. 28 (1991) 253-258. |
| | CC4 | |
| 7. 1 | CD4 | |
| -3. | CE4 | Mitkova M.; Wang Y.; Boolchand P.; Dual chemical role of Ag as an additive in chalcogenide glasses Phys. Rev (Lett. 83(1999))3848-3851. |
| | CF4 | Miyatani S: y: Electronic and ionic conduction in (AgxCu1-x)2Se, J. Phys. Soc. Japan 34 (1973) 423 432 |
| | CG4 | Miyatanii Si-y-AElectrical properties of Ag2SeyJ. Phys., Soc. Japan 13 (1958) 317. |
| . 45 | | Miyatani S:-y lonic conduction in beta-Ag2Te and beta-Ag2Se, Journal Phys. Soc. Japan 14 (1959) 996 1002 |
| | CI4 | Mott N.F. Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 |
| | CJ4 | Nakayama, K.; Kitagawa, T.; Ohmura, M.; Suzuki, M.; Nonvolatile memory based on phase transitions in chalcogenide thin films, Upn. J. Appl. Phys. 32 (1993) 564-569. |
| | 15 | Nakayama K.; Kojima K.; Hayakawa F.; Imal, Y.; Kitagawa, A.; Suzuki, M.; Submicron monvoiatile memony cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 39 (2000) 6157-8161 |
| | CL4 | Nang: T.T.; Okuda M.; Matsushita; T.; Yokota, S.; Suzuki, A.; Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853. |
| | CM4 | |

PTO/SB/088 (10-01)
Approved for use through 10/31/2002-OM8 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMS control number.

Substitute for from 14409 5775

| Substitute for form 14498/PTO | | Compl te if Known | | | |
|-----------------------------------|------------------------|-------------------|--|--|--|
| | Application Number | 10/077,784 | | | |
| INFORMATION DISCLOSURE | Filing Date | February 20, 2002 | | | |
| STATEMENT BY APPLICANT | First Named Inventor | Terry L. Gilton | | | |
| | Group Airt Unit | 2818 | | | |
| (use as many sheets as necessary) | Examiner Name | Not Yet Assigned | | | |
| heet 7 of 8 | Attorney Docket Number | M4065.0482/P482 | | | |

| Sheet | · · · · · | 70.0 | of | . 8 | | Attorney Dock | t Number | M406 | 5.0482/ | P482 | |
|-------------|-----------|--------------------------|-----------------|--|--------------|-----------------------------|-----------------------|----------------------|-------------------------|--------------------------|-------|
| | 1 | electrical s | witchl | ng in chalcoge | nide netw | ork glasses, | Phys. R | ev. B 5 | 4 (1996) | 4413-4415. | |
| , | CN4 | | | itine, J.A., The son electron o | | | | terials t | o comput | er memories | • |
| | CO4 | | | Fritzsche, H., I | | | | | | | |
| | CP4 | Ovshinsky | S.R.; | Reversible ele 68) 1450-1453 | ectrical sw | | | | | | . |
| | CQ4 | Owen, A.E. | ::LeC | omber, P.G.; s | Sarrabayn | | | | | | |
| ٠ | CR4 | Owen, A.E | .; Firth | A.P., Ewen. alcogenide ser | P.J.S., Ph | oto-Induced | structur | al and p | hysico-c | hemical chan | ges |
| | CS4 | Owen, A.E. | .; Le C | omber, P.G.; lectronics 73 (| Hajto, J.; | Rose, M.J.; | | | | | |
| | CT4 | Pearson, A | D; N | liller, C.E., Fila 969) 280-282. | mentary o | conduction is | n semico | nductin | g glass d | odes, App. | |
| | CU4 | Pinto, R.; F | Ramar | nathan; K.V., E | lectric fiel | | | | | ims of the | |
| • | CV4 | Popescu, (| C., The | tem Ge-As-Se e effect of loca chalcogenide | I non-unife | ormities on t | hermal s | witching | and hig | | ior |
| | CW4 | Popescu, (| C.; Crc | itoru, N., The Non-Cryst, So | contributio | on of the late | eral them | | | | _ |
| | CX4 | Popov, A.I. | ; Gell | er, I.KH.; Shen nium, Phys. St | netova, V. | K. Memory | and thre | | witching | effects in | _ |
| • | CY4 | Prakash, S | .; Aso | kan, S.; Ghare |), D.B., E | asily reversit | le memo | ory swite | ching in G | Se-As-Te | |
| • | CZ4 | Rahman, S Eng. B12 (| .; Siv | D: Appl. Phy arama Sastry, | G., Electr | onic switchin | ng in Ge | Bi-Se-T | e glasse | s, Mat. Sci. a | nd |
| | CA5 | Ramesh, K | L; Asc | kan; S.; Sangi doped with Cu | | | | | | n germanium | |
| | CB5 | Rose,M.J.; | Hajto, | J.;Lecomber,P | .G.;Gage | ,S.M.;Chol,V | V.K.;Sne | II,AJ.;C | wen,A.E | ., Amorphou | 3 |
| | CC5 | Rose,MJ.; | Snell; | A.J.;Lecomber | ,P.G.;Haj | o,J.;Fitzgen | ald,A.G.; | Owen,A | .E., Aspe | ects of non- | |
| ~ .1 | CD5 | Schuocker | . D.; F | lleder, G., On 1 s 29 (1978) 39 | the reliabi | | | | | | , J. |
| | CE5 | Sharma, A | K.;Si | ngh, B., Electr dian Natn. Sci | ical condu | ctivity meas | urement | s of eve | porated | selenium film | is in |
| | CF5 | Sharma, P | :, Stru | ctural, electric 35 (1997) 42 | al and opt | ical properti | es of silv | er seler | ide films | , Ind. J. Of p | ure |
| · · · · · · | CG5 | Snell, A.J.; | Leco fects i | mber, P.G.; Han metal/a-Si:H | ajto, J.; Ro | se, M.J.; Ov mory device | ven, A.E es, J. No | .; Osboi n-Cryst. | me, I.L., A Solids 1 | Analogue 37-138 (1991 |) |
| | CH5 | Snell, A.J.; Analogue | Hajto nemo | , J.;Rose, M.J. ry effects in me 3, 1017-1021. | etal/a-SI:F | | | | | | |
| | CI5 | Steventon | A.G., | Microfilament | s in amon | phous chalo | ogenide | memory | devices | J. Phys. D: | |
| - | CJ5 | Steventon, | A.G., | The switching 21 (1976) 31 | mechani | sms in amor | phous d | nalcoge | nide men | nory devices, | , J. |
| | CK5 | Stocker, H | J., Bu | lk and thin film ys. Lett. 15 (1 | n switching | | ry effect | s in sen | nloonduct | ing chalcoge | nide |

PTO/SB/088 (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Complete If Kn wn Substitute for form 1449B/PTO 10/077,784 **Application Number** INFORMATION DISCLOSURE February 20, 2002 **Filing Date** STATEMENT BY APPLICANT Terry L. Gilton First Named Inventor 2818 Group Art Unit (use as many sheets as necessary) Not Yet Assigned Examiner Name Attorney Docket Number M4065.0482/P482 of

| Sueer | | 0 | OI | 0 | AU | mey Docker Numbe | 1 104003.04 | 02/1402 | |
|-------|-----|-------------------------------|-----------------------------------|--|--------------------------|---------------------------------------|---------------------------------|--|-----|
| | CL5 | (1990) 1 | 373-1377. | | A | | | . Phys. Lett B 4 | |
| | CM5 | phenom 389. | enon in chalco | genide amo | iphous s | | Solid State Co | mm. 8 (1970) 387- | |
| | CN5 | (1973) 3 | 3-15. | a Artic | | e I amorphous | - | | |
| | CO5 | (1972):1 | 13-120. | all de la laconi | and the second | | * | on-Cryst. Solids 11 | - 1 |
| | CP5 | | | | | enhanced phase ?) (1972) 4609-4 | | nd memory switching | 9 |
| ٧ | CQ5 | J. Non-C | Cryst. Solids 26 | 1 (2000) 27 | 77-281. | | | AsxSe1-x systems, | |
| | CR5 | glasses | Phys. Rev. B | 48 (1993):1 | 4650-146 | 52. | | nge order in As-Te | |
| | CS5 | glasses relations | Ag-Ge-Se: lon | ic conduction in the conduction is a second conduction in the cond | on and ex iductors P | | estigation, Tra | ilver chalcogenide insport-structure ernational | |
| ~ 1 | СТ5 | Tregoue | t, Y.; Bernede Thin Solid Film | J.C., Silve is 57 (1979) | r moveme) 49-54. | . , . | | ing and memory | T |
| - | CU5 | Ge0.4S | e0.6, J. Non-C | ryst Solids | 117-118 | 1990) 219-221. | | zation of amorphou | s |
| | CV5 | Uttecht, | R.; Stevenson formation in A | , H.; Sie, C s-Te-Ge gla | .H.; Grien ass, J. No | er, J.D.; Raghav n-Cryst. Solids 2 | an, K.S., Elect (1970) 358-3 | tric field induced 70. | |
| - | CD5 | Viger, C | ::Lefrancols, 0 | 3.; Fleury, C 1976) 267-2 | 3., Anoma 272. | lous behaviour | of amorphous | selenium films, J. | |
| | CX5 | M syste | m, Mat. Chem: | And Phys. | 21 (1989 | 447-454. | | e thin-film M-GeSe- | |
| | CY5 | Meta/si | licide antifuse; | IEEE electi | ron dev: L | en, KL.; Tigela: ett.:13 (1992)47 | 1-472. | | |
| | CZ5 | App. Pr | iys: Lett. 18 (19 | 970) 72-73. | | | | semiconductors, | |
| • | CA6 | Ag As0 145 (19 | 24S0.36Ag0.4 98) 2971-2974 | 0 Ag Syster | m prepare | 4 i | lution of Ag, J. | Electrochem. Soc. | |
| | CB6 | multifra | ctal aggregate | Ph.D. Dis | sertation, | le memory via e ASU 1998 | . 1 | | |
| | CC6 | Zhang, Tg, with behavio | M.; Mancini; S n average coon | ; Bresser, \ dination nur dTg/d <m> </m> | W.; Boold | and, P., Variation, in network gla | sses: evidenc | nsition temperature, e of a threshold ==2.4), J. Non-Cryst | |

| Examiner | | Date | 1 |
|------------|-----|---------------|---|
| | 4 ° | | |
| Signature | 1 1 | Considered | |
| DIGITION 1 | | OCH SINGLIGHT | |
| | | | |

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

^{*}Applicant's unique citation designation number (optional). *Applicant is to place a check mark here if English language Translation is attached.